14 North Kanara District,—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops and Sugarcane in Karwar Taluk, Sugarcane in Honnawar Taluk, II Crop Pulses in Haliyal Taluk was in progress
(e) Progress was fair in 4 taluks.
(f) Sufficient except in some vilages of Mundagod Taluk, where in sufficiency of water was felt.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at one village of Mundgod Taluk.

15 Gulbarga District,—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Safflower in Sedam Taluk, Rabi Crops in Chincholi and Yadgir, Taluks. Rabi Jowar in Afzalpur Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—
(a) No rainfall during the week.
(b) Transplantation of Paddy in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Hasvesting of Rabi Jowar in Sindhnoor Taluk, Cotton in Yelburga taluk Rabi, Jowar and Cotton in in Manvi Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Sugarcane in Humnabad Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy was completed in Puttur Taluks.
(e) Nil.
(f) Sufficient
(g) Available
(h) Generally Healthy

19 Coorg District —
(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(g) Generally healthy.

M. GANGARUDRAIAH, For *Director.*

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Dated 26th March 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 20TH MARCH 1965.

No. VS-12/SPH/64-65. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 4 attacks with nil deaths and 5 attacks with 2 deaths, respectively.

A total of 208 attacks with 43 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Nargund, K. R. Pet, Bagewadi, Bijapur, Manvi, Malavalli, Chincholi, Sidapur, Bagalkot, Kushtagi, Mudhol, Jamkhandi, Gadag, Ron, Deodurga, Ramadurga, Navalgund, Bangarpet, Dharwar, Bellary, Hadagalli and Raibag, *as against* 10 attacks with 1 death reported during the corresponding week of the previous year.

A total of 28 attacks with 8 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Bangarpet and Hospet, during the week *as against* 149 attacks with 38 deaths reported during the corresponding week of the last year.

A total of 6 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* 5 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 197 (72 in Hospitals) for the week, *as against* 257 (121 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.7 (6.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.1 (7.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 2 due to other fevers, 18 due toDysentery and Diarrhœa, 3 due to Consumption and 172 due to all other causes, *as against* 1 due to Smallpox, 12 due to other fevers, 8 due to Dysentery and Diarrhœa and 197 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 62 (15 in hospitals) for the week *as against* 97 (53 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.5 (9.5 excluding hospital deaths) per mile of population (mid-year estimated) *as against* 19.7 (8.9 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 due to Typhoid, 5 due to other fevers, 7 due to Dysentery and Diarrhœa, 10 due to other fevers, 3 due to Dysentery and Diarrhœa, 3 due to Consumption and 47 due to all other causes *as against* 10 due to Consumption and 81 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 20 (nil in hospitals) for the week *as against* 24 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.5 (nil exluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.5 (7.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 20 were due to all other causes, *as against* 1 due to other fevers, 2 due to Dysentery and Diarrhœa, 3 due to Consumption and 81 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 15 (2 in hospitals) for the week *as against* 8 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (4.9 excluding hospital deaths) per mille of population (mid-year estimated *as against* 3.0 (nil exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 due to Consumption and 12 due to all other causes, *as against* 1 due to other fevers 1 due to Dysentry and Diarrhoea, and 6 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 8 (5 in hospitals) for the week *as against* 9 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2.7 (1.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (1.4 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to Consumption and 6 due to all other causes *as against* 1 due to Consumption and 8 due to all other causes reported during the corresponding week of the previous year.

257 ....., *Dy. Director of Public Health.*

Printed by the Director of Printing, Stationery and Publications at the Govt. re.

Registered No. M. 1175.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol 100 | BANGALORE THURSDAY APRIL 29, 1965 (VAISHAKHA 9, SAKA ERA 1887) | No. 17

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the Week ending Wednesday, the 31st March 1965.

No. of rainy days in the week	Rainfall in Mil i metre				Condition of				Remarks
	During the week		Since the beginning of the season						
	Actual	Normal	Actual	Normal					
1	2	3	4	5	6	7	8	9	10

(From 3—12—1964)

1. Bangalore District.

Fair | Good | Available | (1)

2. Kolar District.

do

3. Tumkur District.

do | Good except for the prevalence of "Black Quarter" at one village of Chicknayakanhalli tq. | do

4. Mysore District.

Good

5. Mandya District

Good

6. Hassan District.

Good

7. Chickmagalur District

Good

No. of rainy days in the week.	Rainfall in Millimetors				Condition of				Remarks
	During the week		Since the beginning of the season						
	Actual	Normal	Actual	Normal					
1	2	3	4	5	6	7	8	9	10

(FROM 3—12—1964).

8. Shimoga District.

Good

9 Chitradurga District.

Good

10. Bellary District.

" N.A. Nil N.A. Good except for the prevalence of cattle disease at 3 villages of Siruguppa tq. do

11. Bijapur District.

N.A. 1.7 Good ... (11)

12. Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease in two villages of Nargund tq. do

14. North Kanara District.

Good except for the prevalence of cattle disease at one village of Supa tq. do ... (14)

15. Gulbarga District.

Good ... (15)

16. Raichur District.

Good

17. Bidar District.

Good

18. Sooth Kanara District.

Good

19. Coorg District.

" " " Nil " Fair Good do do ... (19)

REMARKS:— (1) Refers to 4 Taluks. (2) Refers to 6 Taluks. (3) Refers to 8 Taluks. (4) Refers to 7 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 1 Taluk. (7) Refers to 5 Taluks. (8) Refers to 5 Taluks. (9) Refers to 3 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 7 Taluks. (12) Refers to 5 Taluks. (13) Refers to 9 Taluks. (14) Refers to 5 Taluks. (15) Refers to 3 Taluks.
(16) Refers to 8 Taluks. (17) Refers to 2 Taluks. (18) Refers to 4 Taluks. (19) Refers to 1 Taluk.

M. GANGARUDRAIAH, For *Director*.

General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 31st March 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Transplantation of II Crop Paddy in Channapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in all Taluks.
(e) Progress was fair in two taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy and Sugarcane in Gudibanda taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Mulbagal and Malur Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Thuruvekere, Chickknayakanahalli, Tumkur and Kunigal Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Kunigal Taluk was in progress.
(e) Progress was fair in five taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" at one village of Chickanayakanahalli Taluk.

4 Mysore District.—

(a) Light showers in Heggadadevanakote Taluk
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk was in progress.
(e) Progress was fair in two Taluks.
(f) Sufficient, except in Kollegal and Yelandur Taluks where in sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Maddur Taluk, Ragi and Paddy in Srirangapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Srirangaptna Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Hassan taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Sringeri Taluk, Minor Millets and Sugarcane in Kadur Taluk was in progress.
(e) Progress was fair in two taluks.
(f) Sufficient.
(g) Available.
(h) Generaly healthy.

Shimoga District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Thirthahalli Taluk, was in progress.
(e) Progress was fair in Two Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Molakalmuru and Holalkere Taluks.
(b) Sowing of G. Nut in Haribar Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Rabi, Jower, Bengalgram and Safflower in Davangere Taluk, Jower and Cotton in Molakalmuru taluk Cotton in Chitradurga, Challakere and Holalkere Taluks was in progress.
(e) Progress was fair in four taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy

10 Bellary District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Hospet Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Siruguppa and Kundligi Taluks, Sugarcane and Jowar in Hospet and Sandur Taluks was in progress.
(e) Progress was fair in four taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy, except for the prevalence of "Black Quarter" at 4 villages of Siruguppa Taluk.

11 Bijapur District —

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops and Cotton in Jamkhandi Taluk, Rabi Jowar and Cotton in Muddebihal and Sindagi Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops was completed in all the Taluks.
(e) Progress was fair in three Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi, Jowar and Cotton in Navalgund, Nargund Gadag, Ron, Hubli, Haveri and Kalghatgi Taluks was in progress.
(e) Progress was fair in five Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

14 North Kanara District,—

(a) No rainfall during the week,
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Honnavar Taluk was in progress.
(e) Progress was fair in three taluks
(f) Sufficient
(g) Available.
(h) Good except for the prevalence of Cattle disease at one village of Supa Taluk.

15 Gulbarga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar in Chincholi Taluk was in progress Rabi crops completed in Yadgiri taluk
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Cotton in Yelburga and Raichur taluks was in progress
(e) Progress was fair in three taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops in Bhalki Taluk, Rabi, Jowar and Sugarcane in Humnabad Taluk was in progress.
(e) Nil
(f) Sufficient.
(g) Available,
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Nil
(e) Nil.
(f) Sufficient
(g) Available
(h) Generally healthy

19 Kolar District.—

(a) Nil
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director.*

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Notification dated 19th April 1964,

Note on the State of Public Health in Mysore State Week ending Saturday 10th April 1965.

No. VS 15/SPH/65-66 The State remained free from Plague during the week as in the previous week. Comparatives figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 52 attacks with 10 deaths from Smallpox was reported for the entire State *viz*, from the towns of Bhadravathi, Bagalkot and Hubli and from the taluks of Bhalki, Bellary and Afzalpur, as against 6 attack with 5 deaths reported during the corresponding week of the previous year.

A total of 568 attacks with 106 deaths from Cholera was reported for the entire State *viz*., from the Mysore and from the towns of K. R. Nagar, Hospet, Hunsur, Magadi and Gadag Haliyal and from the taluks of Mysore, Kollegal Hospet, Mangalore, H. D. Kote, K. R. Nagar, Chamarajanagar, T. Narsipura, Haliyal, Supa K. R. Pet, Nanjangud and Yelandur during the week *as against* 82 attacks with 22 deaths reported during the corresponding week of the last year.

A total of 6 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, as *against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 149 (32 in hospitals) for the week *as against* 143 (67 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.1 (6.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.9 (4.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 were due to other fevers, 24 due to Dysentery and Diarrhoea, 1 due to Consumption and 123 due to all other causes *as against* 9 due to other fevers, 11 due to Dysentery and Diarrhoea, 3 due to Consumption and 120 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 65 (44 in hospitals) for the week *as against* 41 (7 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.1 (4.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.3 (6.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to Dysentry and Diarrhoea, 2 due to consumtion and 56 due to all other causes, *as against*, 4 due to Dysentery and Diarrhoea, 2 due to Consumption and 23 due to all other causes, reported during the corresponding week of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 5 (nil in hospitals) for the week *as against* 25 5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 1.9 (nil excluding hospital deaths) per mille of population (mid year estimated) *as against* 9.6 (7.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 2 were due to other fevers, 3 due to all other causes *as against* 6 due to other fevers, 1 due to Dysentery and Diarrhoea an 18 due to all other causes reported during the corresponding week of the previous year.